



# Kiosk printer price list

Valid from June 2008 for all customers outside the UK

Please note this document is designed to be used in Acrobat Version 6 or above  
This can be downloaded for free at: <http://www.adobe.com/products/acrobat/readstep2.html>

## Zebra TTP 2000 Kiosk Printer

The TTP 2000 series is a high quality, robust and reliable kiosk printer. Features : Loop presenter, Pull detector, Retract and retain function, Easy clean printhead.

Quick Specs - Print Speed: 150 mm/sec, Media Widths: 58, 60, 80 and 82.5 mm, Paper Weight: 55 - 110 g/m2, Paper thickness: 0.054 - 0.10 mm, Media Roll Max OD: 250 mm, Max Print Width: 80 mm, Max Print Length: 600 mm, Printhead: 8 dot/mm, Standard Interfaces: USB or Serial RS 232 or Parallel IEEE 1284.

[For full specifications, please click here.](#)

Part Number	Description	List Price
<b>Printers *</b>		
01971-000	TTP 2010 (Serial)	€ 375.00
01972-000	TTP 2020 (Parallel)	€ 375.00
01973-000	TTP 2030 (USB)	€ 375.00
<b>Paper Guides *Order one paper guide with each printer</b>		
01970-058	TTP 2000 Paper Guide Kit 58 mm	€ 14.00
01970-060	TTP 2000 Paper Guide Kit 60 mm	€ 14.00
01970-080	TTP 2000 Paper Guide Kit 80 mm	€ 14.00
01970-082	TTP 2000 Paper Guide Kit 82.5 mm	€ 14.00
<b>Accessories</b>		
103938	Roll Holder "Universal" variable position, 200mm dia max	€ 25.00
104123	Roll Holder Wall Mount, 150mm dia max	€ 63.00
104208	Adapter for roll holder for 'below' position, 250mm dia max	€ 37.00
01890-300	Paper Low Sensor with 300 mm cable	€ 12.00
01776-000	Power Supply 24V 70W for general printing	€ 42.00
01035-014	Power supply 150W with switch (for printing text and large graphics)	€ 138.00
01370-000	Power Supply to printer cable, 600mm *	€ 6.00
46629	AC power cable EU	€ 7.00
46637T	AC power cable UK	€ 7.00
01366-000	IEEE/1284 parallel cable	€ 12.00
01366-090	IEEE/1284 parallel cable right angle	€ 17.00
01542-000	USB cable, 1.8m (6ft)	€ 5.00
10825-000	RS232 cable	€ 11.50
103939	Quick Fit Hubs TTP 2000 (Qty 2)	€ 7.00
01473-000	Leaf spring retainer for quick-fit hubs	€ 4.70
01365-200	Output Nozzle Kit, 58mm	€ 15.60
104591	shutter assembly	€ 8.75
<b>Thermal Paper Rolls</b>		
		<b>Per Roll</b>
01942-058	Thermal Paper roll, W:58mm, ID:25.4mm, OD:150mm, L:300m, 55 gsm (12 rolls/box)	€ 20.00
01942-060	Thermal Paper roll, W:60mm, ID:25.4mm, OD:150mm, L:300m, 55 gsm (12 rolls/box)	€ 26.00
01942-080	Thermal Paper roll, W:80mm, ID:25.4mm, OD:150mm, L:300m, 55 gsm (9 rolls/box)	€ 21.50
01942-082	Thermal Paper roll, W:82.5mm, ID:25.4mm, OD:150mm, L:300m, 55gsm (6 rolls/box)	€ 29.00
<b>Evaluation Kits (Demonstration discounts apply)</b>		
01971-800	TTP 2010 Evaluation Kit - with RS232 cable	€ 795.00
01972-800	TTP 2020 Evaluation Kit - with IEEE 1284 parallel cable	€ 795.00
01973-800	TTP 2030 Evaluation Kit - with USB cable	€ 795.00
	<i>Each kit contains the following:</i>	
	TTP 20x0 printer with data cable	
	Paper Guides; 58mm, 60mm, 80mm and 82.5mm	
	Roll Holder "Universal" variable position, 200mm dia max	
	Adapter for roll holder below position, 250mm dia max	
	Roll of 58mm and 80mm thermal paper	
	Paper Low Sensor with 300 mm cable	
	Power Supply 24V, 70W, Eu and UK power cables	
	User Guide and Printer Driver CD	
<b>Aftermarket</b>		
104399	TTP 2000 series printhead	€ 72.00

\* requires installation by qualified engineer

## Zebra TTP 7000 Kiosk Printer

The TTP 7030 is a fast, reliable and versatile kiosk printer. Features : Loop presenter, Pull detector, Retract and retain function, Flip-up printer mechanism.

Quick Specs - Print Speed: 75 mm/sec, Media Widths: 80 and 112 mm, Paper Weight: 57 - 130 g/m<sup>2</sup>, Paper thickness: 0.054 - 0.13 mm, Media Roll Max OD: 250 mm, Max Print Width: 104 mm, Max Print Length: 600 mm, Printhead: 8 dot/mm, Standard Interfaces: USB, Optional Interface : Serial RS 232.

[For full specifications, please click here.](#)

Part Number	Description	List Price
<b>Printers</b>		
01768-080	TTP 7030, 80mm	€565.00
01768-112	TTP 7030, 112mm	€590.00
01868-080	TTP 7030, 80mm, with retract	€750.00
01868-112	TTP 7030, 112mm, with retract	€845.00
<b>Accessories</b>		
01123-080	80mm Roll Holder behind with paper low sensor, 150mm dia max	€35.00
01754-080	80mm Roll Holder below with paper low and weekend sensors, 250mm dia max	€155.00
01123-112	112mm Roll Holder behind with paper low sensor, 150mm dia max	€50.00
01754-112	112mm Roll Holder below with paper low and weekend sensors, 250mm dia max	€155.00
01579-400	Paper Low and Weekend Sensors with 400 mm cable	€24.00
01776-000	Power Supply 24V 70W (for normal printing)	€42.00
01035-014	Power supply 150W with switch (for printing text and large graphics)	€138.00
01370-000	Power Supply to printer cable, 600mm *	€6.00
46629	AC power cable - EU plug	€7.00
46637T	AC power cable UK	€7.00
01437-000	Serial Interface Adapter	€30.00
10825-000	RS232 cable	€11.50
01542-000	USB cable, 1.8m (6ft)	€5.00
<b>Thermal Paper Rolls</b>		
01942-080	Thermal Paper roll, W:80mm, ID:25.4mm, OD:150mm, L:300m, 55 gsm (9 rolls/box)	Per Roll €21.50
01942-112	Thermal Paper roll, W:112mm, ID:25.4mm, OD:150mm, L:300m, 55 gsm (6 Rolls/box)	€29.50
<b>Evaluation Kits (Demonstration discounts apply)</b>		
01799-112	Evaluation kit TTP 7030, 112mm  <i>Each kit contains the following:</i> TTP 7030, 112mm Printer Roll holder behind for 80mm paper, up to Ø150mm with paper-near-end sensor Serial cable with adaptor USB Cable Power supply 24V, 70W, Eu and UK power cord Paper Roll Thermal, 112mm, Ø150 Users Guide and Printer Driver CD	€995.00
<b>Aftermarket</b>		
01136-080	TTP 7030/80 Printhead, 200dpi	€128.00
01136-112	TTP 7030/112 Printhead, 200dpi	€155.00

\* requires installation by qualified engineer

## Zebra TTP 8000 Kiosk Printer

TTP 8000 series is robust, simple and extremely reliable. Features : Loop presenter, Pull detector, Retract and retain function, A4 width, Roll or fanfold stock.

Quick Specs - Print Speed: 100 mm/sec, Media Width: 216 mm, Paper Weight: 55 - 110 g/m<sup>2</sup>, Paper thickness: 0.054 - 0.10 mm, Media Roll Max OD: 250 mm, Max Print Width: 216 mm, Max Print Length: 600 mm, Printheads: 8 dot/mm, 12 dot/mm, Standard Interfaces: USB, Parallel IEEE 1284.

[For full specifications, please click here.](#)

Part Number	Description	List Price
<b>Printers</b>		
01744-210	TTP 8200 standard, 8 d/mm, 210mm, cutter and presenter, retract and retain	€ 915.00
01760-210	TTP 8200 vertical, 8 d/mm, 210mm, cutter and presenter	€ 970.00
01755-210	TTP 8200 compact, 8 d/mm, 210mm, cutter, without presenter	€ 880.00
01745-210	TTP 8300 standard, 12 d/mm, 210mm, cutter and presenter	€ 1,025.00
<b>Accessories</b>		
01861-210	Roll Holder Behind, 210mm, 150mm dia max	€ 64.00
101361	Roll Holder Below, 210mm, includes Paper Low and Weekend Sensors, 250mm dia max	€ 250.00
102775	Paper Low Sensor, fixed (use with 01861-210)	€ 17.00
01579-400	Paper Low and Weekend Sensors with 400 mm cable	€ 24.00
01035-014	Power supply 24V 150W with switch (for normal printing)	€ 138.00
101247	Power Supply 24V 200W (for printing text and large graphics) *	€ 145.00
01370-000	Power Supply to printer cable, 600mm *	€ 6.00
46637T	AC power cable - UK plug (for use with 150W power supply)	€ 7.00
46629	AC power cable - EU plug (for use with 150W power supply)	€ 7.00
01366-000	IEEE-1284 Parallel cable, straight 1,8m	€ 12.00
01366-090	IEEE-1284 Parallel cable, 90 degree, 1.8m	€ 17.00
01542-000	USB cable, 1.8m (6ft)	€ 5.00
<b>Thermal Paper Rolls</b>		
		<b>Per Roll</b>
01941-210	Thermal Paper roll, W:210mm, ID:25.4mm, OD:150mm, L:260m, 55 gsm (3 rolls/box)	€ 56.00
<b>Evaluation Kits (Demonstration discounts apply)</b>		
01750-210	Evaluation kit TTP 8200, 203 dpi, 210mm <i>Each kit contains the following:</i> TTP 8200 standard, 8 d/mm, 210mm, cutter and presenter. Universal roll holder behind, for 210mm print width. Sensor Assy, One Sensor, Fixed, for 01861-210 Power supply 24V, 150W IEEE-1284 Parallel cable, straight 1,8m USB cable, 1.8 m Paper Roll Thermal, 210mm, Ø150 (TF8075) User Guide and Printer Driver CD	€ 1,595.00
<b>Aftermarket</b>		
104988	TTP 8200 Printhead, 200dpi	€ 159.00
101770	TTP 8300 Printhead, 300 dpi	€ 175.00
101373	Paper Roll Spindle for 50mm paper roll core	€ 28.00

\* requires installation by qualified engineer

## Zebra TTP 2100 Kiosk Printer

The TTP 2100 printer range is compact, fast and reliable, and is available in desktop or embedded versions.

Quick Spec - Print Speed: 150 mm/sec, Media Widths: 50, 54, 60, 66, 80, 82.5 mm, Paper Weight: 110 - 240 g/m2, Paper thickness: 0.11 - 0.26 mm, Media Roll Max OD: 250 mm, Max Print Width: 80 mm, Max Print Length: 600 mm, Printhead: 8 dot/mm, Standard Interfaces: USB, Serial RS 232, Parallel IEEE 1284.

[For full specifications, please click here.](#)

Part Number	Description	List Price
<b>Embedded Printers *</b>		
01991-000	TTP 2110 Ticket Printer, Serial, Embedded	€ 775.00
01993-000	TTP 2130 Ticket Printer, USB, Embedded	€ 775.00
<b>Desktop Printers *</b>		
01991-100	TTP 2110 Ticket Printer, Serial, Desktop	€ 845.00
01993-100	TTP 2130 Ticket Printer, USB, Desktop	€ 845.00
<b>Paper Guides *Must order one paper guide with each printer</b>		
01990-051	TTP 2100 Paper Guide Kit 51mm	€ 20.00
01990-054	TTP 2100 Paper Guide Kit 54mm	€ 20.00
01990-060	TTP 2100 Paper Guide Kit 60mm	€ 20.00
01990-066	TTP 2100 Paper Guide Kit 66mm	€ 20.00
01990-080	TTP 2100 Paper Guide Kit 80mm	€ 20.00
01990-082	TTP 2100 Paper Guide Kit 82,5mm,	€ 23.00
01990-400	TTP 2100 Paper Guide Kit 82+54mm	€ 40.00
<b>Accessories</b>		
104877	Media Holder TTP2100 (includes quick fit hubs and spring)	€ 106.00
01890-300	Paper Low Sensor with 300 mm cable	€ 12.00
103939	Quick Fit Hubs TTP 2000 (Qty 2)	€ 7.00
01473-000	Leaf spring retainer for quick-fit hubs	€ 7.00
104385	Output Tray	€ 25.00
01776-000	Power Supply 24V 70W for general printing	€ 42.00
01035-014	Power supply 150W with switch (for printing text and large graphics)	€ 138.00
01370-000	Power Supply to printer cable, 600mm *	€ 6.00
46629	AC power cable - EU plug	€ 7.00
46637T	AC power cable - UK plug	€ 7.00
10825-000	RS232 cable	€ 11.50
01542-000	USB cable, 1.8m (6ft)	€ 5.00
<b>Thermal Tickets</b>		
01807-000	Ticket, ATB blank, box 1000	€ 370.00
01770-000	Credit card sized ticket, Gapped, box of 5000	€ 225.00
<b>Evaluation Kit (Demonstration discounts apply)</b>		
01993-800	Evaluation kit TTP 2130 Ticket Printer, embedded <i>Each kit contains the following:</i> TTP 2130 Ticket Printer, USB, Embedded Paper Guides; 54mm and 82.5mm Ticket, ATB blank, box 250 Credit card sized ticket, Gapped, 250 USB cable Power Supply 24V, 70W, Eu and UK power cables User Guide and Printer Driver CD	€ 1,100.00
<b>Aftermarket</b>		
104612	TTP 2100 Printhead, 200dpi	€ 145.00

\* requires installation by qualified engineer

## Zebra TTPM3 Kiosk Printer

The TTPM3 is a fast ticket printer and encoder for credit card sized tickets.

Quick Specs - Print Speed: 85 mm/sec, Media Widths: 54 mm, Paper Weight: 175 - 400 g/m<sup>2</sup>, Paper thickness: 0.17 - 0.40 mm, Media Roll Max OD: 400 mm, Max Print Width: 51 mm, Max Print Length: 150 mm, Printhead: 7.5 dot/mm, Standard Interfaces: Serial RS 32, Optional Interface : 10/100 Ethernet.

[For full specifications, please click here.](#)

Part Number	Description	List Price
<b>Standard Printers</b>		
02700-003	TTPM3 OEM, 3-Track, LoCo/HiCo	€ 3,170.00
02700-103	TTPM3 Desktop, 3-Track, LoCo/HiCo	€ 3,450.00
<b>Front Load Printers</b>		
02700-002	TTPM3 OEM, 3-Track, LoCo/HiCo, Front Load	€ 3,595.00
02700-102	TTPM3 Desktop, 3-Track, LoCo/HiCo, Front Load	€ 3,875.00
<b>Network Desktop Printer</b>		
02700-300	TTPM3 Desktop, 3-Track, LoCo/HiCo, 10/100 Ethernet	€ 3,595.00
<b>Accessories</b>		
01776-000	Power Supply 24V 70W (recommended for the Desktop version printer)	€ 42.00
01035-014	Power Supply 24V 150W with switch (recommended for the OEM printer)	€ 138.00
46629	AC power cable EU	€ 7.00
46637T	AC power cable UK	€ 7.00
01370-000	Power Supply to printer cable, 600mm *	€ 6.00
10825-000	Serial RS-232 Cable	€ 11.50
104610	Output Tray	€ 19.00
<b>Thermal Tickets with Magnetic Stripe</b>		
04531-000	Tickets 54x86mm, LoCo, paper thickness 0,24mm, Box of 2000	€ 435.00
<b>Aftermarket</b>		
02307-001	TTPM3 printhead	€ 709.00

\* requires installation by qualified engineer

### **NOTE:**

Due to variation in ticket types please send 100 tickets per printer for final testing and adjustments to your TTPM3. This will ensure you receive your printer calibrated for optimum performance.

The tickets should be sent after you have received the order confirmation for your purchase order. If your tickets have not reached us 10 days before the confirmed delivery date, we reserve the right to test and calibrate with a standard ticket type.

Please send the tickets to the address shown on your order confirmation and quote your purchase order number for reference.

## Printheads, ZebraCare Contracts and Fixed Price Repair

Printhead Part Number	Description	List Price Euro
104399	TTP2000 series Printhead, 200dpi	€72.00
01136-080	TTP 7030/80 Printhead, 200dpi	€128.00
01136-112	TTP 7030/112 Printhead, 200dpi	€155.00
104988	TTP 8200 Printhead, 200dpi	€159.00
101770	TTP 8300 Printhead, 300 dpi	€175.00
104612	TTP 2100 Printhead, 200dpi	€145.00
02307-001	TTPM3 Printhead	€709.00

**ZebraCare Contract Repair** is a standard warranty upgrade for new printers or printers less than a year old.

ZebraCare Contract Repair			
Part Number	Description	Period	List Price
ZA0-SW20-100	TTP 2000	1YR	€40.00
ZA0-SW20-200	TTP 2000	2YR	€80.00
ZA0-SW21-100	TTP 2100	1YR	€80.00
ZA0-SW21-200	TTP 2100	2YR	€160.00
ZA0-SW70-100	TTP 7030	1YR	€40.00
ZA0-SW70-200	TTP 7030	2YR	€80.00
ZA0-SW82-100	TTP 8200	1YR	€85.00
ZA0-SW82-200	TTP 8200	2YR	€170.00

**ZebraCare Fixed Price Repair** is a flat rate repair service for older printers out of warranty or contract

ZebraCare Fixed Price Repair		
Part Number	Description	List Price
ZFPR-2000	TTP 2000 & 1020	€125.00
ZFPR-2100	TP 2100	€245.00
ZFPR-7030	TTP 7030	€190.00
ZFPR-8200	TTP 8200	€285.00

For repairs including printhead, the standard buy price of a printhead will be charged.

To Obtain a Fixed Price Repair please contact : [UKRMA@ZEBRA.COM](mailto:UKRMA@ZEBRA.COM)

Or fax : +44 (0)1772 693046

Where you will be given a RMA number to return the item for repair

## Kiosk Printer Overview

Printer / Features	TTP2000	TTP2100	TTP7000	TTP8000	TTPM3
Print Speed (inches/mm per second)	6 in/sec 150 mm/sec	6 in/sec 150 mm/sec	3 in/sec 75 mm/sec	4 in/sec 100 mm/sec	3.3 in/sec 85 mm/sec
Media Widths Supported	58, 60, 80, 82.5 mm	50, 54, 60, 66, 80, 82.5 mm	80, 112 mm	210, 216 mm	54 mm
Paper Weight	55 - 110 g/m2 0.054 - 0.10 mm	110 - 240 g/m2 0.11 - 0.26 mm	57 - 130 g/m2 0.054 - 0.13 mm	55 - 110 g/m2 0.054 - 0.10 mm	175 - 400 g/m2 0.17 - 0.40 mm
Media Roll Max OD	9.8 in 250 mm	9.8 in 250 mm	9.8 in 250 mm	9.8 in 250 mm	15.75 in 400 mm
Max Print Width	3.15 in 80 mm	3.15 in 80 mm	4.1 in 104 mm	8.5 in 216 mm	2 in 51 mm
Max Print Length	23.6 in 600 mm	23.6 in 600 mm	23.6 in 600 mm	23.6 in 600 mm	5.9 in 150 mm
Resolution DPI (dots per inch/dots per mm)	203 dpi 8 dpmm	203 dpi 8 dpmm	203 dpi 8 dpmm	203 dpi / 8 dpmm 300 dpi / 12 dpmm	191 dpi 7.5 dpmm
Standard Interfaces	USB Serial RS 232 Parallel IEEE 1284	USB Serial RS 232	USB	USB Parallel IEEE 1284	Serial RS 232
Optional Interface			Serial RS 232		10/100 Ethernet