

## Product profile

# CN3e

Mobile Computer



- **Enlarged keys and extensive communication options fit the needs of the in-field mobile worker**
- **Shares architecture and accessories with popular CN3**
- **Rugged design and integrated antenna to withstand in-field usage**
- **Color camera option provides powerful tool for applications requiring high resolution documentation**

The Intermec CN3e, part of the CN3 mobile computer series, is a mid-sized mobile computer that features extensive communication options with an enlarged keypad to support key based data intensive in-field applications. In fact, the rugged CN3e is the first mid-sized handheld to offer a fully integrated, independent GPS option, as well as Wi-Fi®, WWAN and Bluetooth® in a single package, with an extended line of accessories to support numerous applications.

As part of the CN3 series, the CN3e shares a common architecture with the same operating systems, radio options and accessories. This provides customers a single hardware platform that supports multiple work environments and end-user requirements. This common platform approach not only minimizes disruption through faster time to deployment, but also simplifies maintenance and support for mobile deployments that extend across the enterprise, all of which reduce TCO.

The CN3e offers a fully integrated, independent GPS option, as well as Wi-Fi, Bluetooth, and WWAN voice and data services (including 3G EV-DO or EDGE™), allowing mobile workers to maximize their efficiency on the road. This is further enhanced by CN3e support for seamless voice and data communications, connections to peripheral devices, easy integration into company networks, and satellite-based navigation services

that maximize fleet efficiency. The CN3e also features large, hard key caps, a 6-foot drop specification, and tolerance for a wide range of temperatures.

Because the CN3e provides access to information at the point of work, it is ideally suited for direct store delivery, pick up & delivery, in-transit visibility and in-cab mobile applications. With intelligence at their fingertips, mobile workers can tap into the information they need to work most effectively and efficiently.

The CN3e will give customers mobile RFID read/write functionality through the optional snap-on RFID handle (available 2008), enabling them to meet their current and future application requirements.

The CN3e runs Windows Mobile® supporting direct push wireless email for real-time connectivity with corporate networks. For in-premise use, the CN3e's support for Cisco® Compatible Extensions (CCX) ensures seamless interoperability in Cisco infrastructures.

The CN3e supports Intermec's SmartSystems™, a comprehensive system for complete device management that enables installation, application software maintenance or updates, security adjustments and device settings to be performed automatically and managed remotely, reducing field downtime.

**Intermec®**

## Physical Characteristics

### Dimensions:

160 x 81 x 28 mm (7.7 x 3.2 x 1.1 in)

Weight: 510 g – 567 g (18.0 oz – 20.0 oz)

## Environmental

**Operating Temp:** -20° C to 60° C (-4° F to 140° F)

**Storage Temp:** -20° C to +70° C (-4° F to +158° F)

**Relative Humidity:** 95%

**Rain & Dust Resistance:** IP64

**Drop Spec:** 1.8 m (6 ft) drop on all faces, edges & corners per MIL-Std-810.

**Electrostatic Discharge:**

+/- 15 kVdc air discharge

+/- 8 kVdc contact discharge

## Power

**Battery Pack:** 3.7V, 4000 mAh, (14.8 Watt-hour)  
Li-Ion

## Operating System

Windows Mobile

## Microprocessor

Intel® XScale PXA270, 520 Mhz

## Memory and Storage

**RAM Memory:** 128MB

**Flash ROM:** 256MB

Customer-accessible miniSD slot for removable memory cards up to 2GB

## Display

3.5 in (89 mm) QVGA (240 x 320 pixel) 64K color Transflective TFT-LCD, LED backlight

## Standard Communications/Ethernet

USB 1.1 Host and Client

RS232 via vehicle dock

Ethernet

IrDA

## Software

### Device Management:

**SmartSystems support:** Centralized remote support capability, configures, updates and maintains single devices or entire populations; real-time or batch, wired or wireless. Wavelink Avalanche™ with Intermec value added utilities.

**Intermec Developer's Library (IDL):** Integrates with leading development environments; supports device-specific features, bar code scanning, printing, communications. Development Environments: Visual Studio 2005, .NET compact Framework (VB, .NET and C#)

**Browser Support:** Internet Explorer Mobile

### Integrated Radio Options

**Wireless WAN:** GSM/GPRS/EDGE or CDMA/1xRTT/EV-DO

**Wireless LAN (standard):**

IEEE 802.11g (2.4 GHz)

IEEE 802.11b (2.4 GHz)

**Data rates:** Up to 54Mbps for 802.11g ODFM. Up to 11Mbps for 802.11b DSSS

**Radio Power Output:** 100mW maximum

**Security:** WEP, WPA, 802.11x (EAP-TLS, TTLS, LEAP, PEAP), 802.11i

**Certifications:** Wi-Fi, WPA2, Cisco Compatible (CCX)

**Wireless PAN (standard):** Integrated Bluetooth Class 2, V2.0 compatible module for wireless

### Global Positioning System

Network independent embedded receiver with integrated antenna, extended ephemeris data and WAAS support.

### Audio Support

Dual speakers

Microphone

Wireless Bluetooth headset support

Wired external speaker support via vehicle dock

VoIP

Speech recognition

## Integrated Scanner Option

Area Imager

Supports omnidirectional 1D, 2D, Composite and Postal decode capabilities plus signature capture

## Integrated Camera Option

Color Camera with LED Flash

## Keypad Options

Numeric 10-Key or Phone Style backlit keypad

## Readicare Activation and Provisioning Services (Optional)

(available in North America only)

WWAN Carrier Provisioning

WWAN Carrier Activator

Software Configuration

Tagging

Operational Testing

Packing, Storage & Staging

For additional details, go to:

<http://www.intermec.com/>

WWANActivationandProvisioning/

## Optional Accessories

- Single Dock, USB Host/Client (no modules)
- Single Dock, Ethernet Module
- Single Dock, Modem Module
- Quad Multi-dock, Ethernet
- Quad Multi-dock, Charge Only
- Quad External Battery Charger
- Scan Handle
- Magnetic Stripe Reader, Snap-on
- Auto Adapter
- Belt Clip
- Vehicle Dock

## Regulatory Approvals/Compliance

**Safety:** cULus Listed, GS, CCC (pending), GOST (pending), NOM, eK, HKSI, SABS, SPRING

**EMC:** FCC Part 15B – Class B, ICES-003 Class B, EN 55022 Class B, EN 55024, EN 301 489-17, AS/ZNS 3548, GB9254-1998 (pending)

**Radio:** FCC Part 15.247, Industry Canada RSS 210, EN 300 328-2, Telecom. Num. 547

**Other:** Compliant with all applicable EU Directives – EMC, Low Voltage, R&TTE, Vehicle, WEEE, RoHS, Packaging & Waste Packaging

## North America

### Corporate Headquarters

6001 36th Avenue West  
Everett, Washington 98203  
Phone: (425) 348-2600  
Fax: (425) 355-9551

## South America & Mexico

### Headquarters Office

Newport Beach, California  
Phone: (949) 955-0785  
Fax: (949) 756-8782

## Europe/Middle East &

### Africa Headquarters Office

Reading, United Kingdom  
Phone: +44 118 923 0800  
Fax: +44 118 923 0801

## Asia Pacific

### Headquarters Office

Singapore  
Phone: +65 6303 2100  
Fax: +65 6303 2199

## Internet

[www.intermec.com](http://www.intermec.com)  
Worldwide Locations:  
[www.intermec.com/locations](http://www.intermec.com/locations)

## Sales

Toll Free NA: (800) 934-3163  
Toll in NA: (425) 348-2726  
Freephone ROW: 00 800 4488 8844  
Toll ROW: +44 134 435 0296

## OEM Sales

Phone: (425) 348-2762

## Media Sales

Phone: (513) 874-5882

## Customer Service and Support

Toll Free NA: (800) 755-5505  
Toll in NA: (425) 356-1799

**Intermec®**  
SmartSystems™



Copyright © 2007 Intermec Technologies Corporation. All rights reserved. Intermec is a registered trademark of Intermec Technologies Corporation. All other trademarks are the property of their respective owners. Printed in the U.S.A. 611837-01C 11/07

In a continuing effort to improve our products, Intermec Technologies Corporation reserves the right to change specifications and features without prior notice.

**Intermec®**